

L Number	Hits	Search Text	DB	Time stamp
-	2389	register same coupled same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 09:15
-	6	register near coupled near table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 12:44
-	0	("9751528").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 12:46
-	0	"09751528"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:59
-	0	"xia dai".in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:04
-	4024	dai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 13:28
-	1	"managing a system's performance state"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:19
-	179	processor near5 power near5 management near5 control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:34
-	1	("0000321").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:34
-	973	713/320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:39
-	8	713/320 and "information table"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 13:42
-	99	713/320 and (table same register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:32
-	4	"6311287"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:26

-	2	("6311287").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/27 11:09
-	8	("4893271"   "5142684"   "5189314"   "5287292"   "5452401"   "5469561"   "5483102"   "5490059").PN.	USPAT	2003/10/23 15:27
-	25	5189314.URPN.	USPAT	2003/10/23 15:29
-	51	5451892.URPN.	USPAT	2003/10/23 15:31
-	2	6311287.URPN.	USPAT	2003/10/23 15:35
-	0	("CPUnearvoltageneartable").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 15:36
-	0	CPU near voltage near table	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 15:36
-	30	(CPU near voltage) same table	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 15:49
-	40	processor near frequency near control	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 16:25
-	17	(processor same (frequency near control)) and 713/320	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 16:35
-	2	("5760636").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/23 16:35
-	14	5760636.URPN.	USPAT	2003/10/23 16:36
-	3	5760636.URPN. and register and table	USPAT	2003/10/23 16:37
-	2	("6311287").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/24 10:46
-	1	((("6311287").PN.) and microcontroller	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/24 10:55
-	2	((("6311287").PN.) and register	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/24 11:07
-	1	((("6311287").PN.) and "13"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/10/24 11:08

-	1	((("6311287").PN.) and "16"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/24 11:09
-	1	((("6311287").PN.) and "110"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/24 11:09
-	2	6311287.URPN.	USPAT	2003/10/27 11:07
-	8	("4893271"   "5142684"   "5189314"   "5287292"   "5452401"   "5469561"   "5483102"   "5490059").PN.	USPAT	2003/10/27 11:08
-	2	("6425086").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:26
-	7	("5440520"   "5727208"   "5745375"   "5760636"   "5774704"   "5812860"   "6141762").PN.	USPAT	2003/10/27 11:10
-	1	"Managing a system's performance"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:27
-	0	"Method and Apparatus to Enhance Processor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:27
-	1	(dai.in.) and (enhance near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:29
-	0	"Providing Dynamical Scalability"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:30
-	0	"Dynamical Scalability"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:30
-	6063	Hamilton.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:30
-	8	(Hamilton.in.) and scalability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:33
-	2	(Hamilton.in.) and dynamical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:33
-	3	(Hamilton-tony.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 13:34

-	6	register near coupled near table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:01
-	122510	table and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:26
-	22870	table and register and frequency and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:26
-	3152	control near frequency near voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:27
-	414	(control near frequency near voltage) and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:27
-	157	(control near frequency near voltage) and table and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:27
-	150	(control near frequency near voltage) and table and register and (coupled or connected)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 11:13
-	52	(control near frequency near voltage) and table and register and microprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 11:28
-	2	("20030135779").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 11:29
-	2	("5913068").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 11:29
-	3	("5363312"   "5511205"   "5664201").PN.	USPAT	2004/02/26 11:32
-	9	microprocessor and (voltage near controlling near unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 09:20
-	6	microprocessor and (table near voltage near frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 09:23
-	8	processor and (table near voltage near frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 09:24

-	908	processor and (selection near register) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:24
-	345	processor and (selection near register) and power and voltage and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:25
-	305	processor and (selection near register) and power and voltage and frequency and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:25
-	74	processor and ((selection near register) same table) and power and voltage and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:25
-	19	processor and ((selection near register) same table) and power and (voltage same frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:44
-	0	processor and power and (configurable near voltage near frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:45
-	0	processor and (configurable near voltage near frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:45
-	16	processor and (configurable same (voltage near frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 10:22
-	2	list near frequency near voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 10:24
-	31	list same (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 10:31
-	7573	table and (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 11:08
-	806	table same (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 11:08
-	21	table near (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 11:09
-	114	frequency near voltage near combination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 11:10

-	46	select and (frequency near voltage near combination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 14:15
-	134	microprocessor near power near control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 14:36
-	2	("6311287").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:35
-	4	6311287.URPN.	USPAT	2004/02/27 14:36
-	8	("4893271"   "5142684"   "5189314"   "5287292"   "5452401"   "5469561"   "5483102"   "5490059").PN.	USPAT	2004/02/27 14:39
-	1	entry near voltage near frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:36
-	0	entry near voltage near speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:37
-	0	entry near voltage near clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:37
-	1718	(table or list or matrix) near voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 15:37
-	94	(table or list or matrix) near voltage near (field or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:00
-	0	(contain or store) near (frequency near voltage near values)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:00
-	0	(contain or store) near (frequency near voltage near value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:00
-	54	(contain or store) near (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:04
-	2	(list) near (frequency near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:15
-	2	(list near frequency) and (list near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:15

-	26	((list or table) near frequency) and ((list or table) near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:17
-	61	adjustable near voltage near generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:23
-	9	(adjustable near voltage near generator) and (microprocessor or processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:19
-	0	microprocessor and (list near operational near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:24
-	0	microprocessor and (list near possible near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:26
-	12	microprocessor and (configurable near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:39
-	94	(save near power) and laptop and voltage and frequency and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:40
-	5	(save near power) and laptop and (voltage same frequency same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:46
-	0	(select) near (voltage near frequency) near "from the list"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:47
-	0	(select) near (voltage near frequency) near list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:47
-	3	(select) near (voltage or frequency) near list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:49
-	0	choose near (voltage or frequency) near list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:49
-	1	pick near (voltage or frequency) near list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 16:51
-	58	((list or table) near parameter) and (save near power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 17:00

-	12	(list or table) near (coupled or connected ) near register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 17:10
-	10	selection near register near (list or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 17:10
-	48165	voltage and frequency and configuration and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:35
-	369	((voltage near frequency) same memory) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:36
-	151	((voltage near frequency) same memory same (stored or retrieved or written)) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:37
-	2	((voltage near frequency) same memory same (stored or written) same retrieved) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:39
-	0	((voltage near frequency) near values) same (non-volatile near memory) same (stored or written))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:40
-	11	((voltage near frequency) near values) same (memory) same (stored or written))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:45
-	530	((voltage near frequency)) same (memory) same (stored or written))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:46
-	8	((voltage near frequency)) near (stored or written)) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 09:59
-	0	((voltage near frequency) near range near (stored or written)) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:14
-	0	((voltage near frequency) near list near (stored or written)) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:14
-	0	((voltage near frequency) near list) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:14
-	1	((voltage near frequency) near field) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:16



-	1504	((voltage near frequency)) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:16
-	17	((voltage near frequency)) near (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:20
-	173	(power near consumption) and ((voltage near frequency)) same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:21
-	0	(power near consumption) and ((voltage near frequency)) same retrieve same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 10:21
-	17	(power near consumption) and ((voltage near frequency)) same store same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 11:15
-	42	(power near consumption) and ((voltage near frequency)) same value same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 11:28
-	3	((power near consumption near parameter) same store same (memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 12:58
-	7	((frequency near voltage) near setting) same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 13:03
-	157	((frequency near voltage) near setting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 13:03
-	6	((frequency near voltage) near setting) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 13:24
-	0	processor near power near consumption near parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 13:24
-	7	processor same (power near consumption near parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:11
-	0	processor and ((power near consumption) same ((clock near voltage) near table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:28
-	8766	frequency and voltage and (look-up near table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:29

-	537	frequency same voltage same (look-up near table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:29
-	49	(frequency near voltage) same (look-up near table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:52
-	1662	processor and power same (look-up near table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:54
-	155	processor and (voltage same variable same (look-up near table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 14:57
-	2	("6608528").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 15:05
-	12	("5373254"   "5392437"   "5495617"   "5557551"   "5719800"   "5815724"   "5964881"   "6029006"   "6192479"   "6211740"   "6219796"   "6221740").PN.	USPAT	2004/03/01 14:58
-	0	("processorsame((clockorspeed)nearcontrol)same table")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 15:07
-	173	processor same ((clock or speed) near control) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:33
-	3	(power near control near processor) and matsushita.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:07
-	138	(power adj1 table) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:08
-	134	(power adj1 table) and processor and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:08
-	19	((power adj1 table) same processor) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:19
-	21	((power adj1 table) same processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:20
-	252	processor same ((voltage or power) near control) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:34

-	108	processor same ((voltage) near control) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 16:34
-	207	power near control near register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 09:46
-	130	(power near control near register) and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 09:50
-	155	(power near control near register) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 09:59
-	46	(power near control near register) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 09:50
-	106	(power near control near register) and processor and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 09:59
-	26	((power near control near register) same table) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:04
-	0	2002182807.URPN.	USPAT	2004/03/02 10:03
-	721813	matsushita.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:04
-	1515	matsushita.as. and processor and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:04
-	398	matsushita.as. and processor and table and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:04
-	125	matsushita.as. and processor and table and power and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:41
-	1667	(processor same (power near control)) and table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:46
-	24	(processor same (power near control)) and (table same (voltage near frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 10:47

-	85	(processor same (power near control)) and (table same voltage same frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 11:21
-	2	(voltage/clock near controller) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 11:21
-	4	(voltage near clock near controller) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 16:34
-	2	("20020073348").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 16:34
-	1	((("20020073348").PN.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 16:34
-	2	("20020073348").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 11:47
-	1	((("20020073348").PN.) and (power adj1 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 11:50
-	1	((("20020073348").PN.) and (address adj1 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 11:50
-	6	limit near field near register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 13:38
-	0	indicate near number near selectable near entries	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 13:38
-	286	indicate near number near entries	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 13:39
-	0	indicate near "number of entries"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 13:39
-	52	(indicate near number near entries) same register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/09 13:39